



CAM LOCK FITTINGS

| ¿QUIÉNES SOMOS?

Somos una compañía especializada en la comercialización y distribución de productos hidráulicos. Brindamos un excelente servicio, acompañamiento y calidad certificada en nuestros productos. Nuestro servicio de calidad transforma las necesidades de los clientes generando credibilidad y satisfacción a sus requerimientos. Contamos con un equipo especializado en atención óptima y de calidad que acompaña al cliente durante y después de la venta.

MISIÓN |

Hydraulic Power Panama busca brindar un servicio de calidad, eficiencia y confiabilidad transformando los requerimientos de nuestros clientes en soluciones efectivas para ser la elección número uno de nuestros clientes.

| VISIÓN

Convertirnos para el año 2024 en una compañía que represente la solidez en el servicio y suministro de productos importados, siendo reconocidos en el mercado como una empresa que representa la excelencia y eficiencia con sus clientes manteniendo su satisfacción.

● Type A

Male Adapter X Female

ALUMINIUM

1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"
8"



● Type B

Female Coupler X Male

ALUMINIUM

1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"
8"



● Type C

Female Coupler X Hose Shank

ALUMINIUM

1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"
8"



● Type D

Female Coupler X Female

ALUMINIUM

1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"
8"



● Type E

Male Adapter X Hose

ALUMINIUM

1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"
8"



● Type F

Male Adapter X Male

ALUMINIUM

1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"
8"



● Type DC

Dust Cap

ALUMINIUM

1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"
8"



● Type DP

Dust Plug

ALUMINIUM

1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"
8"



🔗 Type A

Male Adapter X Female

STAINLESS STEEL

1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"



🔗 Type B

Female Coupler X Male

STAINLESS STEEL

1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"



🔗 Type C

Female Coupler X Hose Shank

STAINLESS STEEL

1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"



🔗 Type D

Female Coupler X Female

STAINLESS STEEL

1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"



🔗 Type E

Male Adapter X Hose

STAINLESS STEEL

1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"



🔗 Type F

Male Adapter X Male

STAINLESS STEEL

1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"



🔗 Type DC

Dust Cap

STAINLESS STEEL

1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"



🔗 Type DP

Dust Plug

STAINLESS STEEL

1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"



🔗 Type A

Male Adapter X Female

BRASS
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"



🔗 Type B

Female Coupler X Male

BRASS
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"



🔗 Type C

Female Coupler X Hose Shank

BRASS
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"



🔗 Type D

Female Coupler X Female

BRASS
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"



🔗 Type E

Male Adapter X Hose

BRASS
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"



🔗 Type F

Male Adapter X Male

BRASS
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"



🔗 Type DC

Dust Cap

BRASS
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"



🔗 Type DP

Dust Plug

BRASS
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"



Type A

Male Adapter X Female

PP
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
3"
4"



Type B

Female Coupler X Male

PP
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
3"
4"



Type C

Female Coupler X Hose Shank

PP
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
3"
4"



Type D

Female Coupler X Female

PP
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
3"
4"



Type E

Male Adapter X Hose

PP
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
3"
4"



Type F

Male Adapter X Male

PP
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
3"
4"



Type DC

Dust Cap

PP
3/4"
1"
1-1/2"
2"
3"
4"



Type DP

Dust Plug

PP
3/4"
1"
1-1/2"
2"
3"
4"



Type A

Male Adapter X Female

NYLON
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
3"
4"



Type B

Female Coupler X Male

NYLON
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
3"
4"



Type C

Female Coupler X Hose Shank

NYLON
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
3"
4"



Type D

Female Coupler X Female

NYLON
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
3"
4"



Type E

Male Adapter X Hose

NYLON
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
3"
4"



Type F

Male Adapter X Male

NYLON
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
3"
4"



Type DC

Dust Cap

NYLON
3/4"
1"
1-1/2"
2"
3"
4"



Type DP

Dust Plug

NYLON
3/4"
1"
1-1/2"
2"
3"
4"



AR Male Adapter X Female

SIZE
2"x1-1/2"
2"x3"
3"x2"
3"x4"
4"x3"
4"x6"
6"x4"



BR Female Coupler X Male

SIZE
1-1/2"x1"
2"x1-1/2"
3"x2"
3"x4"
4"x3"



DD Female Coupler X Female Coupler

SIZE
1-1/2"x1-1/2"
2"
3"
3"x4"
4"



DR Female Adapter X Female

SIZE
1-1/2"x1"
2"x1-1/2"
3"x2"
4"x3"



FR Male Adapter X Male

SIZE
2"x1-1/2"
1-1/2"x3"
2"x3"
3"x1-1/2"
3"x2"
3"x4"
4"x3"
4"x6"



CR Female Coupler X Hose Shank

SIZE
2"x1-1/2"
3"x2"
3"x4"
4"x3"



SA Spool Adapter

SIZE	
1"	3"x4"
1-1/4"	4"
1-1/2"	4"x1-1/2"
1-1/2"x2"	4"x2"
2"	4"x6"
2"x3"	6"
3"	



DA Female Coupler x Male Adapter

SIZE	
1-1/2"x1"	3"x4"
1-1/2"x2"	4"x1-1/2"
2"x1-1/2"	4"x2"
2"x3"	4"x3"
2"x4"	4"x6"
3"x1-1/2"	6"x4"
3"x2"	





Material: Aluminium Or Stainless Steel	
SIZE	1"
	1-1/2"
	2"
	2-1/2"
	3"
	4"



Material: Aluminium Or Stainless Steel	
SIZE	1"
	1-1/2"
	2"
	2-1/2"
	3"
	4"



Material: Aluminium Or Stainless Steel	
SIZE	1"
	1-1/2"
	2"
	2-1/2"
	3"
	4"



Material: Aluminium Or Stainless Steel	
SIZE	1"
	1-1/2"
	2"
	2-1/2"
	3"
	4"



Material: Aluminium Or Stainless Steel	
SIZE	2" x 3"
	2" x 2-1/2"
	2-1/2" x 3"
	1-1/2" x 2"
	1-1/2" x 2-1/2"
	1-1/2" x 3"
	1-1/2" x 4"
	2" x 4"
	2-1/2" x 4"
	3" x 4"



Material: Aluminium Or Stainless Steel	
SIZE	1"
	1-1/2"
	2"
	2-1/2"
	3"
	4"



Material: Aluminium Or Stainless Steel	
SIZE	1"
	1-1/2"
	2"
	2-1/2"
	3"
	4"

AIR HOSE COUPLING (U.S. TYPE)



Material: Cast Iron Or Malleable Steel

SIZE	1/4"
	3/8"
	1/2"
	3/4"
	1"



Material: Cast Iron Or Malleable Steel

SIZE	1/4"
	3/8"
	1/2"
	3/4"
	1"



Material: Cast Iron Or Malleable Steel

SIZE	1/4"
	3/8"
	1/2"
	3/4"
	1"



Material: Cast Iron Or Malleable Steel

SIZE	1-1/4"
	1-1/2"
	2"



Material: Cast Iron Or Malleable Steel

SIZE	1-1/4"
	1-1/2"
	2"

AIR HOSE COUPLING (European TYPE)



Material: Cast Iron Or Malleable Steel

SIZE	1/4"
	3/8"
	1/2"
	3/4"
	1"



Material: Cast Iron Or Malleable Steel

SIZE	1/4"
	3/8"
	1/2"
	3/4"
	1"



Material: Cast Iron Or Malleable Steel

SIZE	1/4"
	3/8"
	1/2"
	3/4"
	1"

AIR HOSE COUPLING (European TYPE)

Universal Hose end



Universal Male end



Universal Female end



Material:BRASS

SIZE	3/8"
	1/2"
	3/4"
	1"
	1-1/4"

Material:BRASS

SIZE	3/8"
	1/2"
	3/4"
	1"
	1-1/4"

Material:BRASS

SIZE	3/8"
	1/2"
	3/4"
	1"
	1-1/4"

2 & 4 bolt clamp



B-4	1/2"	15/16"~1-1/16"
B-5	1/2"	1-1/16"~1-3/16"
B-9	3/4"	1-5/16"~1-1/2"
BU-9	3/4"	1-3/16"~1-5/16"
B-10	3/4"	1-1/2"~1-11/16"
B-14	1"	1-11/16"~1-15/16"
BU-14	1"	1-17/32"~1-23/32"
B-15	1"	1-15/16"~2-1/8"
B-19	1-1/4"	2-1/8"~2-6/8"
BU-24	1-1/2"	2-3/32"~2-9/32"
BU-29	2"	2-1/2"~2-25/32"
B-34	2-1/2"	3-1/2"~3-15/16"
BU-34	2-1/2"	3-3/32"~3-7/16"
B-35	3"	3-13/16"~4-1/16"

3-WAY



BLANK END



STORZ COUPLING

Female

SIZE
1/2"
3/4"
1"
1-1/2"
2"
2-1/2"
3"
4"
5"



Male

SIZE
1/2"
3/4"
1"
1-1/2"
2"
2-1/2"
3"
4"
5"



Hose End

SIZE
1/2"
3/4"
1"
1-1/2"
2"
2-1/2"
3"
4"
5"



Sealed Cap

SIZE
1/2"
3/4"
1"
1-1/2"
2"
2-1/2"
3"
4"
5"



BAUER COUPLING



It includes Male;Spanner;Female;Gasket

Material:Galvanized Steel

2"
3"
3-1/2"
4"
6"
8"
10"

HOSE CLAMP



American worm-drive clamp
(Band width: 8mm and 12.7mm)

6-13mm	19-44mm	78-101mm
6-16mm	29-51mm	91-114mm
11-20mm	34-57mm	95-127mm
13-23mm	40-64mm	100-140mm
16-25mm	46-70mm	110-150mm
16-32mm	53-76mm	
21-38mm	72-90mm	



Germany Type clamp
(Band width: 9mm and 12.7mm)

9-13mm	31-48mm	104-127mm
13-16mm	38-54mm	127-146mm
13-19mm	44-60mm	146-159mm
16-22mm	50-70mm	149-178mm
19-25mm	60-80mm	175-203mm
22-29mm	70-90mm	200-229mm
25-35mm	83-102mm	225-254mm
28-41mm	95-115mm	251-281mm



Superior clamp

Material: Zn-plated steel and Stainless steel

D17-19	D86-91
D20-22	D92-97
D23-25	D98-103
D26-28	D104-112
D29-31	D113-121
D32-35	D122-130
D36-39	D131-139
D40-43	D140-148
D44-47	D149-161
D48-51	D162-174
D52-55	D175-187
D56-59	D188-200
D60-63	D201-213
D64-67	D214-226
D68-73	D227-239
D74-79	D240-252
D80-85	

HOSE CLAMP

Double-bolt clamp



Size	Clamp Range (Min)	Clamp Range (Max)
SL-22	21/32"	7/8"
SL-29	7/8"	1-9/64"
SL-34	1-5/32"	1-11/32"
SL-40	1-5/16"	1-19/32"
SL-49	1-5/8"	1-15/16"
SL-60	1-7/8"	2-3/8"
SL-76	2-3/8"	3-7/16"
SL-94	3-1/2"	3-11/16"
SL-115	3-3/4"	4-1/2"
SL-400	3-1/2"	4"
SL-463	4-1/16"	4-5/8"
SL-525	4-11/16"	5-1/4"
SL-550	5"	5-1/2"
SL-600	5-5/16"	6-1/6"
SL-675	6-1/8"	6-7/8"
SL-769	6-15/16"	7-5/8"
SL-818	7-11/16"	8-3/16"
SL-875	8-1/4"	8-7/8"
SL-988	8-15/16"	9-7/8"
SL-1125	9-15/16"	11-3/8"
SL-1275	11-3/16"	13"

SPIRAL CLAMP

Material: Steel (Plated Zn)

1-1/2"
2"
2-1/2"
3"
4"
5"
6"
8"
10"
12"



PIPE CLAMP



1/4"	1-1/4"
5/16"	1-1/2"
3/8"	2"
1/2"	2-1/2"
5/8"	2-3/4"
3/4"	3"
7/8"	4"
1"	

Double-wire hose clamp



Material: Stainless Steel/Carbon Steel

HOSE TO HOSE



1/8"X20-1/4"
1/4"X38"

PIPE FITTING

PIN LUG

SIZE	
	1"
	1-1/4"
	1-1/2"
	2"
	3"



SHORT SHANK FITTING

Material:BRASS	
	1/2"
	5/8"
	3/4"
	1"



NYLON COUPLING

MHE

SIZE	
MHE-1	3/4" X 50mm
MHE-2	1" X 50mm
MHE-3	1-1/4" X 50mm



HE

SIZE	
HE-1	3/4" X 1-1/4"
HE-2	1" X 1"
HE-3	1-1/4" X 1-1/4"



Q

SIZE	
Q1	3/4" X 50mm
Q2	1" X 50mm
Q3	1-1/4" X 50mm



PP Camlock 90° Degree



PIPE FITTING

STRAINER

Material: Galvanized Steel

1"
1-1/2"
2"
2-1/2"
3"
4"
6"
8"



K.C. NIPPLE & HOSE MENDER

Material: Galvanized Steel/ Stainless Steel/ Brass

1/2"	3"
3/4"	4"
1"	5"
1-1/4"	6"
1-1/2"	8"
2"	10"
2-1/2"	12"



MALE PIPE STEM ONLY

Material: Galvanized Steel


1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"



FERRULES

Material: Galvanized Steel/ Stainless Steel

1"
1-1/2"
2"
2-1/2"
3"
4"
6"



SPANNER-A



SPANNER-B



SPANNER-C



CAMLOCK PARTS

Storz Gasket

SIZE
1/2"
3/4"
1"
1-1/2"
2"
2-1/2"
3"
4"
5"



CAMLOCK GASKET

Material: NBR; EPDM; VITON
1"
1-1/2"
2"
2-1/2"
3"
4"
6"



PIN

Material: STAINLESS STEEL/ CARBON STEEL
3/4"
1"
2"
3"
6"




HANDLE

Material: STAINLESS STEEL OR BRASS
3/4"
1"
2"
3"
6"



SAFETY PIN



CHAIN



CAMLOCK WITH FLANGE





CONTACTENOS

(507) 833 7689

Contact@hydrapowerpa.com

ClL ricardo arias Ed torre advanced p1

www.hydrapowerpa.com